PLANUM

ATELIER division line presents

SARTO

European quality
in technologies

ABOUT ATELIER DIVISION

We know it perfectly well how many key points must be taken into account when it comes to selecting interior doors. Being inspired by a strong desire to simplify this choice, we've designed the ATELIER doors. As true 'fashion designers', we'll match the style, material, colour and door hardware to fit all your requirements.



PLANUM COLLECTION. PHILOSOPHY

One form and a unique assortment of decorating details. This approach is a golden opportunity to follow interior design trends while keeping your identity. Enhanced planes and perfectly performed coating fully reveal the beauty of each door unit finishing. PLANUM doors can both become comprehensive interior solutions and complement other collections.





Minimalist Design Style

Minimalist PLANUM doors mainly feature simple forms and functionality about every single detail.

Variety of Finishes

Wood veneer and advanced materials, textured and perfectly smooth surface, natural colours and effective enamel coating. With all these, you can easily select the door that suits your interior best.





Compatibility with Other Collections

Our doors are perfectly combined within the PLANUM collection and other ones that is very handy while designing the interior. Thus, you can emphasize some zones, do other ones less obvious and profit, all in a breath.

Impressive Height

We both follow the fashion trends of modern interior designs and set them. At your request we can manufacture non-standard size doors, up to 3000 mm (approx.118 inches) high. These doors look impressive and boost the visual height of your room.

CONTENIS

features

PLANUM

12 page

finish e s 38 page

hard ware 42 page

technical area

48 page



FlatSystem Coplanar Framing

Draw your attention to a FlatSystem coplanar framing that brings a door leaf and trim casing into the same plane. It is achieved by design features of a door frame and trim casing together with the use of concealed hinges that are completely hidden when a door is closed.










Concealed Door Hinge System
A hinge is completely concealed when a
door is closed, therefore certain coplanar solutions are implemented. Thus, a door opens to a full 180 degrees. They can also be adjusted in all three dimensions, that allows fixing a door with the same clearance all around.









Recommended Handle
You can easily select a door handle following recommendations of our designers.





Rounded Edge Rounded edges give a nice sense of touch and produce an impression of one-piece solid wood.





Compatibility with other collections

Our designers recommend uniting flush door leaves, decorated by a horizontal pattern and supplied with a FlatSystem coplanar framing, with contemporary doors.















Model: 0010 Brandy Walnut Handle: Ice, satin chrome FLATSYSTEM doorframe with concealed hinges is available



Impressive Height
At your request we can manufacture non-standard size doors, up to 3000 mm (approx.118 inches) high.








Ciplex LaminateNatural wood graining and enamel coating is perfectly imitated by advanced synthetic materials such as superior CIPLEX Laminate.





Silent Magnetic Lock
We appreciate comfort the same as you do.
A magnetic door lock provides smooth and soft closing.















Cognac Oak

Bleached Oak

Smoky Oak

Wenge

Ashen Oak

Cherry Natural

Caramel Oak

Brandy Walnut

Wheat Oak







Anegry Cocoa







Mahogany Mocco

CIPLEX



Gingery Ash



Honeyed Ash




Milky Ash



Chocolate Ash



Modena Wal Nut



White Silk



lvory



Patina Antique



Laura Liscia

















Mod.800





















Michelle







Robot



Pasini





Satin chrome







Ice





Satin chrome





White enamel

Cervinia



Siena



Georgia







0010 0010

PLANUM doors can both become comprehensive interior solutions and complement other collections. Flush door leaves, decorated with a horizontal pattern and supplied with a FlatSystem coplanar framing, can be easily combined with contemporary doors. Door leaves with vertical patterns and Classic door frames are perfectly combined with classic doors.





2102 4114


































OPENING TYPES AND DIRECTIONS


HINGED DOOR



DOUBLE HINGED DOOR



SLIDING DOOR



GENERAL INFORMATION

The door is designed for installation in rooms with temperatures from 10 to 30°C and relative humidity of 50 to 70%. Sudden changes in these parameters are not allowed.

STORAGE

To eliminate deformation, prior to installation the door must be stored on a flat surface or on aligned dry pads of the same thickness (not less than three pads). Do not store the doors near heat sources or in the draught as sudden changes in temperature can cause cracks and other flaws on the surface of the door. During storage, avoid exposing door areas to direct sunlight as this can cause uneven change of color of the coating. Keep the door in its original packaging.

INSTALLATION

The door must be installed by a skilled worker using appropriate tools. Wood is a hygroscopic material, so if you install the door in a newly built or renovated room, make sure that it has normal humidity and the materials used for renovation have become dry. Before installation, the door must get acclimatized in the room. For this purpose, leave it lying in the room for several days. This is especially important in cold weather. Do not remove the packaging until complete acclimatization of the door.

OPERATION AND MAINTENANCE

A good door like any furniture demands careful and caring attitude. To preserve exterior of the door, it is recommended to use natural wood furniture care products periodically. You can also clean the door surface with a wipe. Avoid rough mechanical impact on the surface of the door, as well as its contact with acids, alkalis and solvents as this can result in appearance of defects and

